



2026

QUICK CATALOG SOLUTION



ผลิตภัณฑ์ LINK AMERICAN CABLING : ผู้นำด้านสายสัญญาณ จากประเทศสหรัฐอเมริกา ตอบโจทย์
ทุกการเชื่อมต่อสื่อสารอย่างไร้ขีดจำกัด ด้วยสายสัญญาณ LAN, Fiber Optic, Security and
Control, สาย Solar และอีกมากมาย ตอบโจทย์ทุกอุตสาหกรรมสื่อสาร

กลัรับประกันสินค้านาน 30 ปี


นำเข้าและจัดจำหน่ายโดยบริษัท อินเทอร์เน็ต คอมมูนิเคชั่น จำกัด (มหาชน)

ศูนย์กระจายสินค้าที่ใหญ่ที่สุดในอาเซียน

สามารถติดต่อ สั่งซื้อจากตัวแทนจำหน่ายผลิตภัณฑ์ LINK AMERICAN ได้แล้ววันนี้ทั่วประเทศ




CAT 5E UTP Cable




US-9015LSZH (White)
CAT 5E UTP Enhanced CABLE, **LSZH**

CAT 5E F/UTP Cable




US-9035 (White)
CAT 5E F/UTP Enhanced CABLE

CAT 5E UTP OUTDOOR Cable




US-9045 (Black)
CAT 5E UTP, PE OUTDOOR
(Double Jacket)

CAT 5E UTP OUTDOOR, Drop Wire



US-9015M (Black)
CAT 5E UTP, PE OUTDOOR w/Drop Wire
(Single Jacket)

CAT 5E RJ45 PLUG



(A) **US-1001** (Transparent)
CAT 5E RJ45 PLUG, HP
(B) **US-6514** (Blue)
CAT 5E Locking Plug Boot

CAT 5E RJ45 JACK



(A) **US-1005SC1** (White)
CAT 5E RJ45 JACK, Slim
(B) **US-1005STF** (Blue)
CAT 5E RJ45 JACK, Tool Free

CAT 5E PATCH PANEL



US-3024
CAT 5E PATCH PANEL 24 PORT (1U)
w/Cable Support


CAT 5E PATCH CORD



[1, 2, 3, 5, 10, 15, 20 Meter]

US-5003LZ-4 (Blue) = 1 M.
US-5006LZ-4 (Blue) = 2 M.
US-5010LZ-4 (Blue) = 3 M.
CAT 5E RJ45-RJ45 PATCH CORD **LSZH**

Shiny White FACE PLATE



US-2311/12/13/14/16
SHINY FACE PLATE, 1, 2, 3, 4, 6 Ports, (White)

FACE PLATE with Icon & ID Label



US-2001AWH, US-2002AWH
FACE PLATE 1, 2 PORT
with ICON & LABEL ID, (White)

FACE PLATE with Shutter, Icon & ID Label




US-2121A, US-2122A
FACE PLATE 1, 2 PORT
with SHUTTER, ICON & LABEL ID, (White)

WALL BOX



(A) **US-2015WH**
WALL BOX 2" x 4", White (38 mm.)
(B) **US-2016**
WALL BOX 2" x 4", White (47 mm.)

Face Plate CHANGERS



(A) **US-2005**
CHANGER For Full Color Panasonic Face Plate
(B) **US-2006**
CHANGER For Wide Series Panasonic Face Plate
(C) **US-2006B**
CHANGER For Wide Series Panasonic Face Plate
(D) **US-2109**
New Clipsal Face Plate

FAST JACK & PLUG TOOL



US-8061
Fast Jack and Plug Terminate Tool
(Two in one)

IMPACT TOOL



TL-3116
IMPACT TOOL with Blade

UTP CABLE TESTER




(A) **TX-1302A**
UTP CABLE QUICK SMART TESTER
(New Super-S Series)
(B) **TX-1302**
UTP Cable Tester



LAN (UTP) System CAT 6




CAT 6 $\equiv$ UTP (250MHz) Cable




US-9106A (Blue)
CAT 6 UTP w/Cross Filler, 24AWG

CAT 6 $\equiv$ UTP, LSZH, 23AWG




(A) **US-9106LSZH (White)**
(B) **US-9106LSZH (Blue)**
CAT 6 UTP (250 MHz)
w/Cross Filler, 23AWG, LSZH

CAT 6 $\equiv$ UTP ULTRA (600MHz)




US-9116LSZH (White)
CAT 6 UTP ULTRA (600 MHz)
w/Cross Filler, 23AWG, LSZH

CAT 6 $\equiv$ F/UTP Cable




US-9136LSZH (White)
CAT 6 F/UTP ULTRA SHIELDED
w/Cross Filler, 23AWG, LSZH

CAT 6 $\equiv$ UTP OUTDOOR Cable




US-9106OUT (Black)
CAT 6 UTP PE OUTDOOR
w/Filler, 23AWG (Double Jacket)

CAT 6 $\equiv$ UTP OUTDOOR DROPWIRE




US-9106MD (Black)
CAT 6 UTP PE OUTDOOR
w/Drop Wire (Double Jacket)

CAT 6 $\equiv$ UTP OUTDOOR w/Power




US-9106PW (Black)
CAT 6 UTP PE OUTDOOR
w/Power Wire Cable

CAT 6 $\equiv$ UTP OUTDOOR w/Drop wire & Power



US-9106MW (Black)
CAT 6 UTP PE OUTDOOR
w/Drop Wire + Power Wire

CAT 6 New RJ45 PLUG 2 LAYER



Transparent X = 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow), 6 (Black)

(A) **US-1002AA**
CAT 6 New RJ45 PLUG 2 Layer
TRANSPARENT CLEAR
(B) **US-1062AA-X**
CAT 6 New RJ45 CRYSTAL PLUG 2 Layer


CAT 6 $\equiv$ NEW Locking Plug Boot



X = 0 (Clear), 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow), 6 (Black)


US-662XA
CAT 6 New CRYSTAL LOCKING PLUG BOOT

CAT 6 $\equiv$ RJ45 JACK, Slim White



(A) **US-1006SL**
CAT 6 RJ45 Modular Jack,
Slim, White
(B) **US-1006A**
CAT 6 RJ45 Slim White JACK
[5 Color Changeable]

CAT 6 $\equiv$ PATCH PANEL



(A) **US-3124A**
CAT 6+ PATCH PANEL 24 PORT (1U)
w/management, Dust Cover, Labeling
(B) **US-3148A**
CAT 6+ PATCH PANEL 48 PORT (2U)
w/management, Dust Cover, Labeling


CAT 6 $\equiv$ PATCH CORD



[1, 2, 3, 5, 10, 15, 20, 25, 30 Meter]


US-5101LZ-X (1 M.)
US-5102LZ-X (2 M.)
US-5103LZ-X (3 M.)
US-5105LZ-X (5 M.)
CAT 6 RJ45 - RJ45 Patch Cord LSZH
X = 1 (White), 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow)

CAT 6 $\equiv$ COUPLER



US-4006IL
CAT 6 RJ45 COUPLER
[In-Line or Patch Panel Insert]

CAT 6 $\equiv$ RJ45 CRIMP TOOL




(A) **TL-1103R**
RJ45, RJ11, HS PLUG CRIMPTOOL
(B) **TL-1101R**
PROFESSIONAL CRIMP TOOL

CAT 6 $\equiv$ TERMINATE TOOL




(A) **US-8061**
FAST JACK and PLUG TERMINATION
TOOL (CAT 5E & CAT 6)
(B) **TL-2106**
FAST JACK TERMINATE
TOOL for CAT6 JACK
[US-1006A, Color Changeable Only]

CAT 6A $\equiv$ UTP




US-9156ALSZH (Aqua Blue)
CAT 6A UTP SUPER-S SERIES, LSZH

CAT6A $\equiv$ UTP SUPER XG (750 MHz)




US-9157LSZH (Aqua Blue)
CAT 6A UTP SUPER-S (750 MHz) CABLE, LSZH

CAT6A $\equiv$ SHIELDED U/FTP (500 MHz)




US-9256ALSZH (Aqua Blue)
CAT 6A U/FTP SUPER-S SERIES CABLE, LSZH

CAT6A $\equiv$ SHIELDED F/UTP (650 MHz)




US-9266LSZH (Aqua Blue)
CAT 6A F/UTP SUPER XG (650 MHz), LSZH

CAT 6A $\equiv$ UTP RJ45 JACK



(A) US-1026A
CAT 6A UTP SUPER-S RJ45 JACK, FREE DIRECTION
(B) US-6222TFS
CAT 6A UTP SUPER-S RJ45 JACK, SHORT BODY, Tool Free, Auto Shutter

CAT 6A $\equiv$ UTP PATCH PANEL 24 Port



US-3226A
CAT 6A UTP SUPER-S STAGGERED PATCH PANEL 24 PORT w / Cable Management

CAT 6A $\equiv$ RJ45 UTP JACK




US-6110TF
CAT 6A UTP RJ45 PLUG, SUPER-S, Field Terminate

CAT 6A $\equiv$ UTP PATCH CORD




US-64XXLZ-9
CAT 6A UTP SUPER-S 28 AWG, LSZH

Shielded CAT A Short Body Auto Shutter JACK



US-6222TFS
CAT 6A RJ45 SUPER-S, SHORT BODY (Auto Shutter JACK)

Shielded CAT 6A $\equiv$ PATCH PANEL




US-3002SA
HYBRID UNLOAD SUPER-S STAGGERED PATCH PANEL 24 PORT (1U) w/label, Management [Choose US-6722TFS LOAD]

Shielded CAT6A $\equiv$ Auto Shutter JACK




US-1070SG
CAT 6A RJ45 GOLD PLUG HYBRID, SUPER-S

CAT 6A $\equiv$ FACE PLATE




(A) US-2121A / US-2122A
FACE PLATE 1, 2 PORT w/Shutter
(B) US-2001AWH/ US-2002AWH
FACE PLATE With Icon & Label ID (White)

Shielded CAT 6A $\equiv$ COUPLER




US-4007SIL
Shielded CAT 6A In-Line COUPLER, (Usable for Patch Panel)

Shielded CAT 6A $\equiv$ PATCH CORD



US-69XXSLZ-9 (Aqua Blue)
US-69XXSLZ-1 (White)
Shielded CAT 6A Super-S 28 AWG, XG, LSZH

TERMINATION TOOL



(A) TL-5026A
FAST JACK CAT 6A Free Direction T ERMINATION TOOL [for US-1026A Only]
(B) TL-5070A
PARALLEL CRIMP TOOL For Tool free JACK & Filed Terminated PLUG

CRIMP TOOL




TL-1106AGA
RJ45 SHIELDED PLUG CRIMP and CLAMP TOOL [for US-1070SG & US-1004A]



SOLAR System



SOLAR CABLE 4 mm²



[1,000^m M. / Roll, 500^m M. / Roll, 100^m M. / Easy Box]

- (A) **PV-1040AB**: PV Solar 4 mm², Black
(B) **PV-1040AR**: PV Solar 4 mm², Red


SOLAR CABLE 6 mm²



[1,000^m M. / Roll, 500^m M. / Roll, 100^m M. / Easy Box]

- (A) **PV-1060AB**: PV Solar 6 mm², Black
(B) **PV-1060AR**: PV Solar 6 mm², Red


SOLAR CABLE 10 mm²



[1,000^m M. / Roll]

- (A) **PV-1100AB**: PV Solar 10 mm², Black
(B) **PV-1100AR**: PV Solar 10 mm², Red


GROUND WIRE CABLE



[100^m M. / Roll]

- CB-1060G**: 6 mm², **CB-1100G**: 10 mm²

SOLAR PATCH CORD ASSEMBLY 4 mm²




- (A) **CB-5054B-X**: PATCH CORD 4 mm², Black 3, 5, 10 M.
(B) **CB-5054R-X**: PATCH CORD 4 mm², Red 3, 5, 10 M.

SOLAR PATCH CORD PER REQUEST




- (A) **CB-5056B-xx**: BLACK 6 mm², Length xx per Request
(B) **CB-5056R-xx**: RED 6 mm², Length xx per Request

MC4 Solar CONNECTOR



- (A) **CB-1002AS**: MC4 CONNECTOR 2.5 - 6 mm² (Pair)
(B) **CB-1006A**: MC4 PANEL CONNECTOR 2.5 - 6 mm² (Pair)

TOOL for SOLAR CONNECTOR




- (A) **CB-1084**: MC4 CRIMPING TOOL
(B) **CB-1086A**: MC4 SPANNER (Pair)
(C) **CB-1085**: MC4 CRIMPING TOOL for MC4 10 mm² CONNECTOR
(D) **CB-1088**: SOLAR CABLE AUTO STRIPPER 2.5 - 10 mm²

ADVANCED TECH SERIES

SECURITY & CONTROL System


FIRE ALARM CABLE



[500 M. / Roll]

- (A) **CB-0116** (2 x 16 AWG, 1 Pair, FPL), Grade
(B) **CB-0218** (2 x 18 AWG, 1 Pair, FPL), Shielded
(C) **CB-0216** (2 x 16 AWG, 1 Pair, FPL), Shielded
(D) **CB-0214P** (2 x 14 AWG, 1 Pair, Outdoor)


FIRE RESISTANT CABLE



[500 M. / Roll, 100 M. / Roll]

- (A) **CB-0801** (Non Sheathed 1.5 mm², 1 C)
(A) **CB-0802** (Non Sheathed 2.5 mm², 1 C)
(B) **CB-0021A** (Unshielded 2 x 1.5 mm², 1 Pair)
(B) **CB-0025A** (Unshielded 2 x 2.5 mm², 1 Pair)
(C) **CB-0701** (SHIELDED 2 X 1.5 mm², 1 Pair)
(C) **CB-0702** (SHIELDED 2 X 2.5 mm², 1 Pair)

BAS CONTROL CABLE



[500 M. / Roll]

- (A) **CB-0322AA** (Shielded 2 x 22 AWG, 1 Pair)
(B) **CB-0318AA** (Shielded 2 x 18 AWG, 1 Pair)
(C) **CB-0316AA** (Shielded 2 x 16 AWG, 1 Pair)
(D) **CB-0422AA** (Shielded 4 x 22 AWG, 2 Pair)
(E) **CB-0418AA** (Shielded 4 x 18 AWG, 2 Pair)


BAS CONTROL OUTDOOR



[500 M. / Roll]

- (A) **CB-0318AAP** (Shielded 2 x 18 AWG, 1 Pair)
(B) **CB-0418AAP** (Shielded 4 x 18 AWG, 2 Pair)


SPEAKER CABLE



[100 M. / Spool]

- (A) **CB-0514W** (Better than VTF 2.5 mm²)
Round SPEAKER 2C, 14 AWG, 105 - Strand, White
(A) **CB-0516W** (Better than VTF 1.5 mm²)
Round SPEAKER 2C, 16 AWG, 65 - Strand, White
(B) **CB-0501** Transparent Flat Speaker 2 x 1.5 mm²
(B) **CB-0502** Transparent Flat Speaker 2 x 2.5 mm²


LIYCY CONTROL CABLE



[500 M. / Roll]

- CB-30XX**
LIYCY CONTROL CABLE
2, 4, 6, 8, 10, 16 Core
0.5 mm², 0.75 mm², 1.0 mm²

MULTICORE CONTROL CABLE




[500 M. / Roll]

- (A) **CB-0244A** (UL-2464)
Multi - Core 4 Core,
Double Shielded 24 AWG
(B) **CB-0253A** (UL-2919)
Multi - Pair 4 Pair,
Single Shielded, 24 AWG

INDOOR DISTRIBUTION


DOUBLE Q SERIES



- Singlemode Cable**
UFC920xLSZH, OS2, 9 /125 μm
Multimode Cable
UFC52xxLSZH, OM2, 50 /125 μm
UFC42xx, OM3, 50 /125 μm
UFC32xx, OM4, 50 /125 μm

OUTDOOR / INDOOR, DUCT


DOUBLE Q SERIES



- Singlemode Cable**
UFC93xx, OS2, 9 /125 μm
Multimode Cable
UFC53xx, OM2, 50 /125 μm
UFC43xx, OM3, 50 /125 μm
UFC33xx, OM4, 50 /125 μm


OUTDOOR / INDOOR, ARMORED

DOUBLE Q SERIES



- Singlemode Cable**
UFC93xxA, OS2, 9 /125 μm
Multimode Cable
UFC53xxA, OM2, 50 /125 μm
UFC43xxA, OM3, 50 /125 μm
UFC33xxA, OM4, 50 /125 μm

SINGLE / 3-TWISTED, DROP-WIRE



- (A) **UFC95xxDSA**, OS2 9/125 μm, Singlemode SINGLE Tube
UFC55xxDSA, OM2 50/125 μm, Multimode SINGLE Tube
 (B) **UFC95xxMDA**, SM 9/125 μm, Singlemode 3-TWISTED Tube

MINI ARSS, ARMORED SELF SUPPORT

DOUBLE Q SERIES



- UFC97xxA**, SM 9/125 μm, Singlemode MINI ARSS

ARSS, ARMORED SELF SUPPORT

DOUBLE Q SERIES



- UFC97xxMA**, SM 9/125 μm, Singlemode MULTI-TUBE

ADSS, ALL DIELECTRIC SELF SUPPORT


DOUBLE Q SERIES



- UFC97xxMN**, SM 9/125 μm, Singlemode MINI ADSS

ADSS, ALL DIELECTRIC SELF SUPPORT

DOUBLE Q SERIES




- UFC97xxCM**, SM 9/125 μm, Singlemode MULTI TUBE

6-36F FDU SLIDE Deep 25 cm.



- (A) **UF-2010A** : 6-24F (2 Snap-In) Rack mount SLIDE, D 25 Cm.
 (B) **UF-2011A** : 6-36F (3 Snap-In) Rack mount SLIDE, D 25 Cm.

6-36F FDU DRAWER Deep 33.20 cm.



- (A) **UF-2012A** : 6-24F (2 Snap-In) Rack mount DRAWER, 1U
 (B) **UF-2013A** : 6-36F (3 Snap-In) Rack mount DRAWER, 1U


6-48F FDU WALL MOUNT BOX



- (A) **UF-2022A** : 6-24F (2 Snap-In) Wall Mount BOX
 (B) **UF-2024A** : 6-48F (4 Snap-In) Wall Mount BOX

FIBER OPTIC SNAP-IN ADAPTER PLATE


DOUBLE Q SERIES



- (A) **UF-2166SM** : 3 SC Duplex Snap-In (SM)
 (A) **UF-2266SM** : 6 SC Duplex Snap-In (SM)
 (B) **UF-2122SM** : 3 LC Duplex Snap-In (SM)
 (B) **UF-2222SM** : 6 LC Duplex Snap-In (SM)
 (B) **UF-2222QSM** : 12 LC QUAD Snap-In Adapter Plate (SM)
 (C) **UF-2200** : BLANK Snap-In Adapter Plate

LC FIBER PIGTAIL


DOUBLE Q SERIES



- (A) **UFP920Sx1-1.5**
 LC Pigtail SM/OS2, UPC, 1.50 M.
 (B) **UFP520Sx1-1.5**
 LC Pigtail MM/OM2, UPC, 1.50 M.
 (C) **UFP420Sx1-1.5**
 LC Pigtail MM/OM3, UPC, 1.50 M.
 (D) **UFP320Sx1-1.5**
 LC Pigtail MM/OM4, UPC, 1.50 M.

SC FIBER PIGTAIL


DOUBLE Q SERIES



- (A) **UFP960Sx1-1.5**
 SC Pigtail SM/OS2, UPC, 1.50 M.
 (B) **UFP560Sx1-1.5**
 SC Pigtail MM/OM2, UPC, 1.50 M.
 (C) **UFP460Sx1-1.5**
 SC Pigtail MM/OM3, UPC, 1.50 M.
 (D) **UFP360Sx1-1.5**
 SC Pigtail MM/OM4, UPC, 1.50 M.
 (E) **UFP960S21-1.5**
 SC Pigtail SM/OS2, APC, 1.50 M. For FTTR

LC PATCH CORD


DOUBLE Q SERIES



- (A) **UFP922D21-03**
 LC-LC Patch Cord, SM/OS2, Duplex
 (B) **UFP522D21-03**
 LC-LC Patch Cord, MM/OM2, Duplex
 (C) **UFP422D21-03**
 LC-LC Patch Cord, MM/OM3, Duplex
 (D) **UFP322D21-03**
 LC-LC Patch Cord, MM/OM4, Duplex

SC PATCH CORD


DOUBLE Q SERIES



- (A) **UFP966D21-03** : SC-SC Patch Cord, SM/OS2, Duplex
 (B) **UFP566D21-03** : SC-SC Patch Cord, MM/OM2, Duplex
 (C) **UFP466D21-03** : SC-SC Patch Cord, MM/OM3, Duplex
 (D) **UFP366D21-03** : SC-SC Patch Cord, MM/OM4, Duplex
 (E) **UFP966S21-03** : SC/APC-SC/APC Patch Cord, SM/OS2 Simplex For FTTR

FTTR FLAT CABLE


DOUBLE Q SERIES



- (A) **UFH922x** : FTTR OVAL Cabal Double-Q
(B) **UFH952x** : FLAT Stranded Drop Cable
(C) **UFH951xM** : FLAT Solid Drop Cable


FTTR ROUND CABLE

DOUBLE Q SERIES



- (A) **UFH930xR** : ROUND Distribution Cable
(B) **UFH950xR** : ROUND Stranded Drop Cable
(C) **UFH950xRA** : ROUND ARMORED, Solid Drop Cable

FTTR-1008 MDF DISTRIBUTION PANEL



- (A) **UFH4083** : FDU DOUBLE-Q SLIDE 12-36F, Rack Mount
(B) **UF-2255SM-APC** : 12SC Simplex Snap-In, SM/APC, 12F
(C) **UF-2266SM-APC** : 6SC Duplex Snap-In, SM/APC, 12F

FTTR-1008 FLOOR DISTRIBUTION



- (A) **UFH3112** : FTTR-1008 DISTRIBUTION UNIT w/12 SC/APC & Pigtail
(B) **UFH3113** : FTTR-1008 DISTRIBUTION UNIT w/24 SC/APC & Pigtail

FTTR-1008 ACCESS TERMINAL BOX


DOUBLE Q SERIES



- (A) **UFH3002** : 4F, FTTR-1008 ACCESS TERMINAL BOX w/ 2 SC / APC

FTTR-1008 SMART OUTLET


DOUBLE Q SERIES



- (A) **UFH3110** : FTTR-1008 SMART OUTLET 1 Port
(B) **UFH3111** : FTTR-1008 SMART OUTLET 2 Port
(C) **UFH3111A4** : FTTR-1008 SMART OUTLET 4 Port

PIGTAIL for FTTR

DOUBLE Q SERIES



- (A) **UFP960S02-1.5** (0.9 mm)
(B) **UFP960S22-1.5** (2.0 mm)
SC/APC Pigtail SM/OS2 Simplex

FIBER OPTIC FTTH




- UFH3020**
FTTH PROFESSIONAL TOOL w/Power Meter




FTTR & F.O. TOOL & TESTER

FIBER OPTIC HORIZONTAL CLOSURE



- (A) **UF-3041** : 12 Core Horizontal Type Closure
(B) **UF-3042A** : 24 Core Horizontal Type Closure

FIBER OPTIC DOME CLOSURE



- (A) **UF-3022A** : 24 Core Dome Type Closure
(B) **SV-2252A-12** : Fusion Splice Protector Sleeve, OD. 2.5 mm.

FIBER OPTIC FUSION SPLICES



- UF-2841B**
F.O. BLUE ADVANCE FUSION SPLICE SET

FIBER OPTIC FUSION SPLICES



- UF-2842AG**
F.O. GOLD PROFESIONAL FUSION SPLICE SET

FIBER OPTIC OTDR



- UF-2872H** : F.O HANDHELD ODTR 22/20 dB (1310/1550 nm)

FIBER OPTIC OTDR



- UF-2874PMQ** F.O. PRO MAX OTDR 37/35/28/26 dB (850/1300/1310/1550 nm.) : Full Option

FIBER OPTIC POWER METER



- (A) **UF-2891** : F.O ADVANCE POWER METER
(B) **UF-2893** : F.O LIGHT SOURCE 850/1300 nm
(C) **UF-2894** : F.O LIGHT SOURCE 1310/1550 nm
(D) **UF-2892Q** : F.O. LIGHT SOURCE 850/1300/1310/1550 nm.

FIBER OPTIC VISUAL FAULT LOCATOR



- UF-2883** : VISUAL FAULT LOCATOR for ST, SC, FC (7 Km.)
UF-2884 : VISUAL FAULT LOCATOR For LC (7 Km.)

RG 6 COAXIAL INDOOR



[500 M. / Reel in Bx, 100 M. / Easy Bx]

- (A) **CB-0106A** (Indoor, Black)
RG 6/U Cable, 95% Shield, Black Jacket
- (B) **CB-0106A-WH** (Indoor, White)
RG 6/U Cable, 95% Shield, White Jacket

RG 6 INDOOR w/POWER WIRE



[500 M. / Roll, 100 M. / Easy Bx]

- CB-0106AWB** (w/Power)
RG 6/U, 95% Shield, Black w/Copper Power Wire

RG 6 COAXIAL OUTDOOR



[500 M. / Reel in Bx]

- CB-0106AP** (Outdoor)
RG 6/U Cable, 95% Shield, Black PE Jacket

RG 6 OUTDOOR w/MESSENGER



[500 M. / Roll]

- CB-0106AM** (w/Messenger)
RG 6/U 95% Shield, Black PE w/Messenger
[500 M. / Roll]

RG 6 OUTDOOR w/POWER WIRE



[500 M. / Roll, 100 M. / Easy Bx]

- CB-0106APWB** (w/Power)
RG 6/U 95% Shield, Black PE
w/Copper Power Wire

RG 6 OUTDOOR w/MESSENGER + POWER



[500 M. / Roll]

- CB-0106AMWB** (Messenger+Power)
RG 6/U 95% Shield, Black
w/Messenger & Copper Power Wire

RG 11 MAIN INDOOR



[500 M. / Roll]

- CB-0111A** (White)
RG 11/U, 90% Shield, Indoor, White Jacket


RG 11 MAIN OUTDOOR



[500 M. / Roll]

- CB-0111AP** (Black)
RG 11/U, 90% Shield, Outdoor, Black Jacket

RG FLEXIBLE COAXIAL




- (A) **CB-0106F** (Patch Cord)
Flex Stranded 75 ohm, White
- (B) **CB-0104F** (Elevator)
Flex Stranded 75 ohm, Black

MINI PANEL for COAXIAL




- US-2510A** (W 26 x D 6.0 x H 6.5 Cm.)
10 Port Mini PANEL w/Support Box

MODULAR RJ45 INSERT




- (A) **US-2204** (BNC)
(B) **US-2209** (F-Type)
(C) **US-2207A** (TV Socket)
(D) **US-2201** (Blank)
MODULAR RJ45 INSERT

BNC PLUG RG6 CONNECTOR




- (A) **UC-0026** (Crimp Type), RG 6
(B) **UC-0046** (Compression
Water Proof), RG 6
(C) **UC-0036** (Female Crimp)
BNC JACK, RG 6

F-TYPE MALE RG6 CONNECTOR



- (A) **UC-0062** (Twist Type)
(B) **UC-0064** (Crimp Type)
(C) **UC-0066** (Compression Water Proof)
F-Type, Male Connector

BNC, TV, F-TYPE CABLE ASSEMBLY



- (A) **UC-7130-xx** (BNC to BNC)
(B) **UC-7120-xx** (F-Type to F-Type)
(C) **UC-7150-xx** (PAL TV to PAL TV)
(xx = 01, 03, 05 Meter)
Cable Assembly

COAXIAL CRIMP TOOL



- (A) **UC-8116A** (RG 6, RG59)
Crimp Tool BNC & F-Type & PAL of RG 6 & RG59
(B) **UC-8118A** (RG 11, RG58)
Crimp Tool BNC of RG 11 and RG 58

COAXIAL STRIPPING & COMPRESSION



- (A) **UC-8145** (Stripping Tool)
(B) **TC-2315** (Compression Tool)

TELEPHONE CABLE



[100⁰ M. / Easy Box , 500⁰ M. / Roll]

- UL-1022** TIEV 0.5 mm., 2C
- UL-1024** TIEV 0.5 mm., 4C
- UL-1032** TIEV 0.65 mm., 2C
- UL-1034** TIEV 0.65 mm., 4C

FIG 8 UTP DROP WIRE CABLE



[200⁰ M. / Roll]

- UL-1102** (0.50 mm., 1 Pair)
 - UL-1112** (0.65 mm., 1 Pair)
- FIG 8 UTP DROP WIRE CABLE

JUMPER WIRE & FLAT CABLE



[100⁰ M. / Easy Box]


- UL-0002** (24 AWG)
- Jumper Wire, White-Red 2C.
- UL-0044** (28 AWG)
- FLAT Telephone 4C Cable

TELEPHONE PATCH CORD




- US-8951** (RJ11-RJ11, 1 M.)
 - US-8952** (RJ11-RJ11, 2 M.)
 - US-8953** (RJ11-RJ11, 3 M.)
- TELEPHONE PATCH CORD

TELEPHONE PLUG & Hand Set



- (A) **UL-3011** RJ11 Telephone Plug
- (B) **UL-3004** Hand Set Plug

TELEPHONE RJ11 OUTLET




- (A) **UL-3016** (White)
- RJ11 Telephone OUTLET, Tool Free
- (B) **UL-3018** (White)
- RJ11 Telephone OUTLET

SHINY FACE PLATE




- (A) **US-2311** (White)
- FACE PLATE 1 PORT, SHINY
- (B) **US-2312** (White)
- FACE PLATE 2 PORT, SHINY

INDOOR PLASTIC BOX



- (A) **UL-7601** 30 Pair TC Box, w/BMF
- (B) **UL-7602** 50 Pair TC Box, w/BMF
- (C) **UL-7603** 100 Pair TC Box, w/BMF

TELEPHONE TERMINAL MODULE




- (A) **UL-4311** (10 Pair)
- CONNECTION MODULE
- (B) **UL-4321** (10 Pair)
- DISCONNECTION MODULE

LABEL



- (A) **UL-4601**
- Label Holder, Mount on Frame
- (B) **UL-4631**
- Hinged Label, Mount on Module

MAGAZINE and ARRESTER




- (A) **UL-5110**
- Telephone MAGAZINE 10 Pair, Empty
- (B) **UL-5317**
- 3 Pole ARRESTER with fail-safe
- (C) **UL-5411**
- Telephone MAGAZINE 10 Pair, Load Arrestor

INSERTION TOOL




- UL-8802** (Connection & Cutting)
- INSERTION TOOL with Sensor

CROSS-CONNECT STEEL




- (A) **UL-6103** 30 Pair CABINET
- (B) **UL-6203** 60 Pair CABINET
- (C) **UL-6206** 120 Pair CABINET

STEEL CABINET, WALL MOUNT



- (A) **UL-6030** Cabinet for 1 x 3 pos. BMF
- (B) **UL-6111** Cabinet for 1 x 11 pos. BMF
- (C) **UL-6112** Cabinet for 2 x 11 pos. BMF

BACK MOUNT FRAME (BMF)



- (A) **UL-8201** BMF 1 Pos.
- (B) **UL-8203** BMF 3 Pos.
- (C) **UL-8206** BMF 6 Pos.
- (D) **UL-8211** BMF 11 Pos.

OUTDOOR / INDOOR PLASTIC BOX



- (A) **UL-7703** 30 Pair with BMF
- (B) **UL-7705** 50 Pair with BMF
- (C) **UL-7710** 100 Pair with BMF

NEW GERMAN RACK G3N Series



G3N-xxxxx (Acrylic Door)
NEW GERMAN RACK
15, 27, 36, 39, 42, 45U

NEW GERMAN RACK G4N Series




G4N-xxxxx (Server Rack)
NEW GERMAN SERVER RACK
15, 27, 36, 39, 42, 45U

NEW GERMAN RACK G8N Series



G8N-xxxxxB/DDB (Data Center Rack)
NEW GERMAN DATA CENTER RACK
27, 42, 45U

19"GERMAN WALL RACK, G1 Series



(A) **G1-60xxx** (3 Part)
NEW 19"GERMAN WALL RACK 6, 9, 12U
(D = 40, 50, 60 cm.)
(B) **G1-60xxxP** (Front Perforate)
NEW 19"GERMAN WALL RACK 6, 9, 12U
(D = 40, 50, 60 cm.)
(C) **G1-60xxxP** (Perforate Door)
NEW 19"GERMAN WALL RACK 6, 9, 12U
(D = 40, 50, 60 cm.)

19"WALL RACK OUTDOOR, G2 Series



G2-60xxxOUT (Outdoor)
19"GERMAN WALL RACK OUTDOOR
6, 9, 12U
(D = 40, 50, 60 cm.)

MINI STEEL BOX, G6 Series



G6-30030 / G6-30030B
MINI STEEL BOX 30 cm w/Shelf
(Gray / Black)


G6-40040 / G6-40040B
MINI STEEL BOX 40 cm w/Shelf
(Gray / Black)

19"GERMAN OPEN & TELECOM RACK




(A) **G0-600xx**
19"GERMAN OPEN RACK 27, 36, 42U
(B) **G0-619xx**
19"GERMAN TELECOM RACK 27, 36, 42U

AC POWER DISTRIBUTION




(A) **G7-00002** (2 TIS Outlet)
(B) **G7-00004** (4 TIS Outlet)
(C) **G7-00006** (6 TIS Outlet)
(D) **G7-00008** (8 TIS Outlet)
(E) **G7-00012** (12 TIS Outlet)
(F) **G7-00020** (20 TIS Outlet)

COMPONENT SHELF



(A) **G7-01025**
Front Fix Shelf Deep 25 cm.
(B) **G7-02045 / G7-02065**
Fix Shelf for RACK 60 cm / 80 cm
(C) **G7-03045 / G7-03065**
Slide Shelf for RACK 60 cm / 80 cm

HEAVY DUTY FAN



(A) **G7-05001** (1 x Ø4")
(B) **G7-05002** (2 x Ø4")
(C) **G7-05003** (3 x Ø4")



19" LINK TEMPERED GLASS RACK

19"LINK GLASS RACK



CH-xxxxxGS
19" LINK TEMPERED GLASS RACK
15, 27, 36, 42U

19"LINK GLASS-WAVE RACK




CH-xxxxxGW
19" LINK TEMPERED GLASS-WAVE RACK
15, 27, 42U

19"LINK CURVE-WAVE RACK



CH-xxxxxCW
19" LINK DATA CENTER
CURVE-WAVE RACK 15, 27, 42U

19"LINK WALL RACK



(A) **CW1-60xxxG** (Glass 40 cm), 1 Part
CW2-60xxxG (Glass 50, 60 cm), 2 Part
(B) **CW1-60xxxW** (Wave 40 cm), 1 Part
CW2-60xxxW (Wave 50, 60 cm), 2 Part
(C) **CW2-60xxx C** (Curve 50, 60 cm), 2 Part


FTTR 1008 MDF DISTRIBUTION UNIT



(A) **UFH5113**
FTTR-1008 THREE OPERATOR
CABINET RACK 42U


(B) **UFH5108**
FTTR-1008 MDF 42U w/2 Side
Cable Management

PDU (POWER DISTRIBUTION UNIT)




(A) **CH-10304A** (4 TIS Outlet)
(B) **CH-10306A** (6 TIS Outlet)
(C) **CH-10312A** (12 TIS Outlet)
(D) **CH-10320A** (20 TIS Outlet)

COMPONENT SHELF



(A) **CK-12250 / CH-12350**
Front Mount Shell Deep 25 cm/35 cm
(B) **CK-20350 / CK-20550**
Fix Shelf for RACK 60 cm/80 cm
(C) **CK-40350 / CK-40550**
Slide Shelf for RACK 60 cm/80 cm

HEAVY DUTY FAN




(A) **CK-80104** (1 x Ø4")
(B) **CK-81204** (2 x Ø4")
(C) **CK-81304** (3 x Ø4")

CCTV OUTDOOR CABINET



(A) **UV-9002**
(H68 x W43 x D16.8cm.), IP43
(B) **UV-90105**
(H68 x W43 x D25cm.), IP43
(C) **UV-9012H-IP55**
(H68 x W46.8 x D26.8cm.), IP55

1.25G SFP Transceiver



- (A) UT-901G-XX00 (MMF, 550 m) (C) UT-901G-XX20-BT35 (1310nm/1550nm, 20 km)
 (B) UT-901G-XX10 (SMF, 10 km) (D) UT-901G-XX20-BR53 (1550nm/1310nm, 20 km)
 (E) UT-901T-XX (RJ45, 1000 Base-T)

10G SFP+ Transceiver




- (A) UT-910G-XX00 (MMF, 300m) (C) UT-910G-XX20-BT (1270nm/1330nm, 20km)
 (B) UT-910G-XX10 (SMF, 10km) (D) UT-910G-XX20-BR (1330nm/1270nm, 20km)
 (E) UT-910T-XX (RJ45, 10GBase-T)

25G SFP28 Transceiver



- (A) UT-925G-XX00 (MMF, 100 m) (C) UT-925G-XX20-BT (1270nm/1330nm, 20 km)
 (B) UT-925G-XX10 (SMF, 10 km) (D) UT-925G-XX20-BR (1330nm/1270nm, 20 km)

40G QSFP+ & 100G QSFP28 Transceiver




- (A) UT-940G-XX00 (MMF, 150 m) (C) UT-901CQS-XX00-S4 (MMF, 100 m)
 (B) UT-940G-XX10 (SMF, 10 km) (D) UT-901CQS-XX10-L4 (SMF, 10 km)

XX is CODE of Transceiver as requested for Brands


LC = LINK-Cisco	DL = Dell	IB = IBM
AA = Adva / Adtran	ES = Ericsson	IT = INTEL
AB = Aruba	ET = Extreme	JP = Juniper
AL = Alcatel-Lucent	FN = Fortinet	MN = Mellanox
AT = Arista	HC = H3C	NK = Nokia
AY = Avaya	HM = Hirschmann	SM = Siemens
BC = Brocade	HP = Hewlett Packard	ZT = ZTE
CN = Ciena	HW = Huawei	

10/100 Media Converter




- (A) UT-0216EA 10/100 Enhance Converter, SC (MM) 2 km
 (B) UT-0216EA-SM30 10/100 Enhance Converter, SC (SM) 30 km
 (C) UT-0215EATS-20 10/100 Single F.O. Converter, SC (SM) 20 km, Transmitter
 (D) UT-0215EARS-20 10/100 Single F.O. Converter, SC (SM) 20 km, Receiver

Gigabit Media Converter



- (A) UT-1300A 1000Mbps Mini Converter
 (B) UT-1310A 10/100/1000 Enhance Converter
 (C) UT-1310HA 10/100/1000 Hardened Converter

Industrial Gigabit PoE Switch



- (A) PS-1040T 4-Port Industrial Gigabit PoE Switch (4 PoE + 1 RJ + 1 SFP)
 (B) PS-1080 4-Port Industrial Gigabit PoE Switch (4 PoE + 2 SFP)
 (C) PS-3140 4-Port Lite Managed Industrial Gigabit PoE Switch (4 PoE + 1 RJ + 1 SFP)
 (D) PS-3180 8-Port Lite Managed Industrial Gigabit PoE Switch (8 PoE + 2 SFP)

RS-422/485 IRF MEDIA CONVERTER



- (A) UT-4206 RS-422/485 - SC (MM) F.O. MEDIA CONVERTER, 2 km
 (B) UT-4206SM-30 RS-422/485 - SC (SM) F.O. MEDIA CONVERTER, 30 km

EoC (Ethernet over COAXIAL)




- PS-0122SET (PS-0120T + PS-0121R)
 1-Port FAST EoC w/PoE Converter w/Adapter

PoE INJECTOR and SEPARATOR



- (A) PS-8613 Gigabit PoE 30W Injector
 (B) PS-8721BLK PoE Cable Separator 9-24V

PoE SURGE PROTECTOR



- (A) UT-8006 (Protector level 0)
 (B) UT-8010 (Protector level 1)
 (C) UT-8022 (Protector level 2)
 (D) UT-8088 (Protector level 3)



Distributed by

